



# TEST REPORT

REPORT No.: R2JS150803F0361E

Date: August 12, 2015

Page 1 of 6

Shanghai Simcom Wireless Solution Ltd.  
No.633 JinZhong Rd, ChangNing District Shanghai, PRC China

Report on the submitted samples said to be:

Sample Name : GNSS Module  
Style/ Item No. : SIM28ML  
Country of Origin : China  
Manufacturer : Simcom  
Sample Receiving Date : August 4, 2015  
Testing Period : From August 4, 2015 to August 12, 2015  
Results : Please refer to next page(s).

\*\*\*\*\*  
**Summary of Test Results:**

**TEST REQUEST**

**CONCLUSION**

A EU RoHS Directive 2011/65/EU and its amendment directives -XRF and Chemical test(Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs & PBDEs content)

**Pass**

\*\*\*\*\*  
Signed for and on behalf of  
BACL

Checked by: \_\_\_\_\_  
Jane Xu  
Technical Supervisor

Approved by: \_\_\_\_\_  
William Wei  
Laboratory Manager

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

# TEST REPORT

REPORT No.: R2JS150803F0361E

Date: August 12, 2015

Page 2 of 6

**Results:**

**A. EU RoHS Directive 2011/65/EU and its amendment directives on XRF**

Test method: With reference to IEC62321-3-1:2013 screening by X-ray Fluorescence Spectroscopy (XRF)

Seq. No.	Tested Part(s)	Results				
		Pb	Cd	Hg	Cr	Br
1	Yellow plastic with white/black printing(label)	BL	BL	BL	BL	BL
2	Silvery metal(shield)	BL	BL	BL	BL	---
3* <sup>1</sup>	Chocolate body with white printing(crystal)	OL	BL	BL	BL	BL
4	Silvery body(crystal)	BL	BL	BL	BL	BL
5	Black body with yellow printing(IC)	BL	BL	BL	BL	BL
6	Brown body(SMD capacitor)	BL	BL	BL	BL	BL
7	Black body(SMD resistor)	BL	BL	BL	BL	BL
8	Black body(EC)	BL	BL	BL	BL	BL
9	Black body(diode)	BL	BL	BL	BL	BL
10	Blue body(EC)	BL	BL	BL	BL	BL
11	Silvery solder	BL	BL	BL	BL	---
12*	Green PCB with copper foil	BL	BL	BL	BL	IN

-- = Not Conducted

\* = Screening by XRF and detected by chemical method. The test results of chemical method please refer to next pages.

\*<sup>1</sup> = As claimed by the material declaration submitted by the client, the materials of the sample No.3 is ceramic. And according to RoHS directive 2011/65/EU and its amendments, Lead is exempted in electronic ceramic parts (e.g. piezoelectronic devices).

**Remark:**

- (1) Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC62321-3-1:2013.

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)

69# Pulongcun, Puxinhu Industrial Zone, Tangxia Town Dongguan, Guangdong, China

Tel: +86-769-86858888 Fax: +86-769-86858891

# TEST REPORT

REPORT No.: R2JS150803F0361E

Date: August 12, 2015

Page 3 of 6

Element	Unit	Polymers	Metal	Composite Material
Cd	mg/kg	BL≤70-3σ<X <130+3σ≤OL	BL≤70-3σ<X <130+3σ≤OL	LOD<X <150+3σ≤OL
Pb	mg/kg	BL≤700-3σ<X <1300+3σ≤OL	BL≤700-3σ<X <1300+3σ≤OL	BL≤500-3σ<X <1500+3σ≤OL
Hg	mg/kg	BL≤700-3σ<X <1300+3σ≤OL	BL≤700-3σ<X <1300+3σ≤OL	BL≤500-3σ<X <1500+3σ≤OL
Cr	mg/kg	BL≤700-3σ<X	BL≤700-3σ<X	BL≤500-3σ<X
Br	mg/kg	BL≤300-3σ<X	--	BL≤250-3σ<X

Note:

- BL = Below Limit
- OL = Over Limit
- IN = Inconclusive (questionable, need further chemical analysis)
- LOD = Limit of Detection

- (2) The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.
- (3) The maximum permissible limit is quoted from the RoHS directive 2011/65/EU:

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium (Cd)	100
Lead (Pb)	1000
Mercury (Hg)	1000
Hexavalent Chromium (Cr(VI))	1000
Polybrominated biphenyls (PBBs)	1000
Polybrominated diphenylethers (PBDEs)	1000

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)

69# Pulongcun, Puxinhu Industrial Zone, Tangxia Town Dongguan, Guangdong, China

Tel: +86-769-86858888 Fax: +86-769-86858891



# TEST REPORT

REPORT No.: R2JS150803F0361E

Date: August 12, 2015

Page 4 of 6

Remark :

(4) As requested by applicant, only components shown in this report were screened by XRF spectroscopy for 2011/65/EU and its amendment directives, other components were not screened included in this report.

(5) Photo appendix is included.

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

### The Test Results of Chemical Method:

#### Test method:

PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

\*\*\*\*\*

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)

69# Pulongcun, Puxinhu Industrial Zone, Tangxia Town Dongguan, Guangdong, China

Tel: +86-769-86858888 Fax: +86-769-86858891

# TEST REPORT

REPORT No.: R2JS150803F0361E

Date: August 12, 2015

Page 5 of 6

1) The test results of PBBs & PBDEs

Item	Unit	MDL	Results	Limit
			12	
<b>Polybrominated Biphenyls (PBBs)</b>				
Monobromobiphenyl	mg/kg	5	N.D.	
Dibromobiphenyl	mg/kg	5	N.D.	
Tribromobiphenyl	mg/kg	5	N.D.	
Tetrabromobiphenyl	mg/kg	5	N.D.	
Pentabromobiphenyl	mg/kg	5	N.D.	
Hexabromobiphenyl	mg/kg	5	N.D.	
Heptabromobiphenyl	mg/kg	5	N.D.	
Octabromobiphenyl	mg/kg	5	N.D.	
Nonabromodiphenyl	mg/kg	5	N.D.	
Decabromodiphenyl	mg/kg	5	N.D.	
Total content	mg/kg	/	N.D.	1000 mg/kg
<b>Polybrominated Diphenylethers (PBDEs)(Mon-Deca)</b>				
Monobromodiphenyl ether	mg/kg	5	N.D.	
Dibromodiphenyl ether	mg/kg	5	N.D.	
Tribromodiphenyl ether	mg/kg	5	N.D.	
Tetrabromodiphenyl ether	mg/kg	5	N.D.	
Pentabromodiphenyl ether	mg/kg	5	N.D.	
Hexabromodiphenyl ether	mg/kg	5	N.D.	
Heptabromodiphenyl ether	mg/kg	5	N.D.	
Octabromodiphenyl ether	mg/kg	5	N.D.	
Nonabromodiphenyl ether	mg/kg	5	N.D.	
Decabromodiphenyl ether	mg/kg	5	N.D.	
Total content	mg/kg	/	N.D.	1000 mg/kg
<b>Conclusion</b>	/	/	<b>Pass</b>	

\*\*\*\*\*

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)

69# Pulongcun, Puxinhu Industrial Zone, Tangxia Town Dongguan, Guangdong, China

Tel: +86-769-86858888 Fax: +86-769-86858891

# TEST REPORT

REPORT No.: R2JS150803F0361E

Date: August 12, 2015


Page 6 of 6

Note:

- N.D. = Not Detected or less than MDL
- mg/kg = ppm
- MDL = Method Detection Limit
- The results less than MDL are not taken into account while calculating the sum contents.
- Photo appendix is included.

## Appendix

Photograph of Sample



BACL authenticate the photo on original report only

\*\*\* End of Report \*\*\*

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)

69# Pulongcun, Puxinhu Industrial Zone, Tangxia Town Dongguan, Guangdong, China

Tel: +86-769-86858888 Fax: +86-769-86858891