



TEST REPORT

REPORT No.: R2SH171108F0525E

Date: November 20, 2017

Page 1 of 9

Shanghai SIMCom Wireless Solutions Co., Ltd
Building A, SIM Technology Building, No. 633, Jinzhong Road, Changning District, Shanghai P.R.China

Report on the submitted samples said to be:

Sample Name : Wireless Module
Style/ Item No. : SIM7500A and SIM7500JE and SIM7500JC and SIM7500V
Manufacturer : Shanghai SIMCom Wireless Solutions Co., Ltd
Sample Receiving Date : November 9, 2017
Testing Period : From November 9, 2017 to November 20, 2017
Results : Please refer to next page(s).

Summary of Test Results:

TEST REQUEST

A RoHS Directive 2011/65/EU and its amendment directives –XRF screening test and Wet Chemical Testing (Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs & PBDEs content)

Pass

Phthalates(DBP、BBP、DEHP、DIBP)content

Pass

Signed for and on behalf of
BACL

Checked by: _____
Jane Xu
Technical Supervisor

Approved by: _____
William Wei
Laboratory Manager

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

TEST REPORT

REPORT No.: R2SH171108F0525E

Date: November 20, 2017

Page 2 of 9

Results:

A. RoHS Directive 2011/65/EU and its amendment directives

XRF screening test

Test method: With reference to IEC62321-3-1:2013 screening by X-ray Fluorescence Spectroscopy (XRF)

Seq. No.	Tested Part(s)	Results				
		Pb	Cd	Hg	Cr	Br
1	White/brown adhesive plastic with black/red printing(label) ①-④	BL	BL	BL	BL	BL
2*	Silvery metal(shield) ①-④	BL	BL	BL	IN	---
3	Silvery plated golden metal(frame) ①-③	BL	BL	BL	BL	---
4	Golden metal(frame) ④	BL	BL	BL	BL	---
5	Black body with light brown printing(IC) ①-④	BL	BL	BL	BL	BL
6	Black/white body(resister) ①-④	BL	BL	BL	BL	BL
7	Brown body(capacitor) ①-④	BL	BL	BL	BL	BL
8	Silvery body(crystal) ①-④	BL	BL	BL	BL	BL
9	Black body(diode) ①-④	BL	BL	BL	BL	BL
10	Black body(triode) ①-④	BL	BL	BL	BL	BL
11	Grey body(inductor) ①-④	BL	BL	BL	BL	BL
12	Light green body(antenna) ①-④	BL	BL	BL	BL	BL
13	Grey body(EC) ①-④	BL	BL	BL	BL	BL
14	Black body(IC) ①-④	BL	BL	BL	BL	BL
15	White body(EC) ①-④	BL	BL	BL	BL	BL
16	Blue body(EC) ①-④	BL	BL	BL	BL	BL
17	Green PCB ①-④	BL	BL	BL	BL	BL
18	Silvery solder ①-④	BL	BL	BL	BL	---

Remark: ①SIM7500A ②SIM7500JE ③SIM7500JC ④SIM7500V

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.



TEST REPORT

REPORT No.: R2SH171108F0525E

Date: November 20, 2017

Page 3 of 9

Remark:

(1)

--- = Not Conducted

Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd,

* = Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC62321-3-1:2013.

Element	Unit	Polymers	Metal	Composite Material
Cd	mg/kg	BL≤70-3σ< X <130+3σ≤OL	BL≤70-3σ< X <130+3σ≤OL	LOD < X <150+3σ≤OL
Pb	mg/kg	BL≤700-3σ< X <1300+3σ≤OL	BL≤700-3σ< X <1300+3σ≤OL	BL≤500-3σ< X <1500+3σ≤OL
Hg	mg/kg	BL≤700-3σ< X <1300+3σ≤OL	BL≤700-3σ< X <1300+3σ≤OL	BL≤500-3σ< X <1500+3σ≤OL
Cr	mg/kg	BL≤700-3σ< X	BL≤700-3σ< X	BL≤500-3σ< X
Br	mg/kg	BL≤300-3σ< X	---	BL≤250-3σ< X

BL = Below Limit

OL = Over Limit

IN = Inconclusive

LOD = Limit of Detection

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Dongguan)

No.69, Pulongcun, Puxinhu Industry Area, Tangxia, Dongguan, Guangdong, China

Tel: +86-769-86858888 Fax: +86-769-86858891



TEST REPORT

REPORT No.: R2SH171108F0525E

Date: November 20, 2017

Page 4 of 9

- (2) The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.
- (3) The maximum permissible limit is quoted from RoHS directive 2011/65/EU:

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium(Cd)	100
Lead(Pb)	1000
Mercury (Hg)	1000
Hexavalent Chromium (Cr(VI))	1000
Polybrominated biphenyls (PBBs)	1000
Polybrominate ddiphenylethers (PBDEs)	1000

- (4) As requested by applicant, only components shown in this report were screened by XRF spectroscopy for 2011/65/EU and its amendment directives, other components were not screened included in this report.
- (5) Photo appendix is included.

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect(e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.



TEST REPORT

REPORT No.: R2SH171108F0525E

Date: November 20, 2017

Page 5 of 9

Wet Chemical Testing:

Test method:

Hexavalent Chromium Content (For metal material):
 With reference to IEC 62321-7-1:2015, by boiling-water-extraction and analysis was performed by UV-visible spectrophotometer (UV-Vis)

1) The test results of Cr (VI)

Item	Unit	MDL	Results	Limit
			2	
Hexavalent Chromium (Cr(VI))	µg/cm ²	0.10	N.D.	**
Conclusion	/	/	Pass	/

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- mg/kg = ppm
- ** =
 - a. The sample is positive for CrVI if the CrVI concentration is greater than 0.13 µ g/cm². The sample coating is considered to contain CrVI
 - b. The sample is negative for CrVI if CrVI is ND (concentration less than 0.10 µ g/cm²). The coating is considered a non-CrVI based coating
 - c. The result between 0.10 µ g/cm² and 0.13 µ g/cm² is considered to be inconclusive -unavoidable coating variations may influence the determination

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.



TEST REPORT

REPORT No.: R2SH171108F0525E

Date: November 20, 2017

Page 6 of 9

Phthalates(DBP, BBP, DEHP, DIBP)content

Test method: With reference to IEC 62321-8(111/321/CD), by gas chromatographic-mass spectrometer (GC-MS)

Item	Unit	MDL	Results					Limit
			1	5	6	7	8	
Dibutyl Phthalate (DBP)	%	0.003	N.D.	N.D.	N.D.	N.D.	N.D.	0.1
Benzylbutyl Phthalate (BBP)	%	0.003	N.D.	N.D.	N.D.	N.D.	N.D.	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	%	0.003	0.007	N.D.	N.D.	N.D.	N.D.	0.1
Diisobutyl Phthalate(DIBP)	%	0.003	N.D.	N.D.	N.D.	N.D.	N.D.	0.1
Conclusion	/	/	Pass	Pass	Pass	Pass	Pass	/

Item	Unit	MDL	Results					Limit
			9	10	11	12	13	
Dibutyl Phthalate (DBP)	%	0.003	N.D.	N.D.	N.D.	N.D.	N.D.	0.1
Benzylbutyl Phthalate (BBP)	%	0.003	N.D.	N.D.	N.D.	N.D.	N.D.	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	%	0.003	N.D.	N.D.	N.D.	N.D.	N.D.	0.1
Diisobutyl Phthalate(DIBP)	%	0.003	N.D.	N.D.	N.D.	N.D.	N.D.	0.1
Conclusion	/	/	Pass	Pass	Pass	Pass	Pass	/

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.



TEST REPORT

REPORT No.: R2SH171108F0525E

Date: November 20, 2017

Page 7 of 9

Item	Unit	MDL	Results				Limit
			14	15	16	17	
Dibutyl Phthalate (DBP)	%	0.003	N.D.	N.D.	N.D.	N.D.	0.1
Benzylbutyl Phthalate (BBP)	%	0.003	N.D.	N.D.	N.D.	N.D.	0.1
Bis-(2-ethylhexyl) Phthalate (DEHP)	%	0.003	N.D.	N.D.	N.D.	N.D.	0.1
Diisobutyl Phthalate(DIBP)	%	0.003	N.D.	N.D.	N.D.	N.D.	0.1
Conclusion	/	/	Pass	Pass	Pass	Pass	/

Note:

- N.D. = Not Detected or less than MDL
- MDL = Method Detection Limit
- The results less than MDL are not taken into account while calculating the sum contents.
- % = Percentage by weight
- 0.1% = 1000mg/kg, mg/kg = ppm
- Photo appendix is included.

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.


TEST REPORT

REPORT No.: R2SH171108F0525E

Date: November 20, 2017

Page 8 of 9

Photograph of Sample



This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.


This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

TEST REPORT

REPORT No.: R2SH171108F0525E

Date: November 20, 2017

Page 9 of 9



BACL authenticate the photo on original report only

*** End of Report ***

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.